






























Actuator plates




		Description	
Overview		<ul style="list-style-type: none"> Overview actuator plates 	→ Page 48
Design line	Dual flush	<ul style="list-style-type: none"> Actuator plate Sigma20 	→ Page 49
		<ul style="list-style-type: none"> Actuator plate Sigma50 	→ Page 49
		<ul style="list-style-type: none"> Actuator plate Samba 	→ Page 50
		<ul style="list-style-type: none"> Actuator plate Bolero 	→ Page 50
		<ul style="list-style-type: none"> Actuator plate Kappa20 	→ Page 53
		<ul style="list-style-type: none"> Actuator plate Kappa50 	→ Page 53
	Flush-stop	<ul style="list-style-type: none"> Actuator plate Rumba 	→ Page 51
		<ul style="list-style-type: none"> Actuator plate Tango 	→ Page 52
		<ul style="list-style-type: none"> Actuator plate Mambo 	→ Page 52
Single flush	<ul style="list-style-type: none"> Actuator plate Sigma10 	→ Page 51	
Standard line	Dual flush	<ul style="list-style-type: none"> Actuator plate Delta21 	→ Page 54
		<ul style="list-style-type: none"> Actuator plate Delta50 	→ Page 54
	Flush-stop	<ul style="list-style-type: none"> Actuator plate Delta11 	→ Page 54
		<ul style="list-style-type: none"> Actuator plate Delta40 	→ Page 54
Accessories		<ul style="list-style-type: none"> Extension set 	→ Page 55
		<ul style="list-style-type: none"> Access cover 	→ Page 55

System overview actuator plates

	Installation element	Actuator plate			
	Kombifix, Duofix, Concealed cistern	dual flush		flush-stop / single flush	
Design	UP320 	Sigma50 115.788.xx.1 	Samba 115.770.xx.1 	Sigma10 115.758.xx.1 	Tango 115.760.xx.1 
		Sigma20 115.778.xx.1 	Bolero 115.777.xx.1 	Rumba 115.750.xx.1 	Mambo 115.751.00.1 
	UP720 	Sigma50 115.788.xx.1 	Samba 115.770.xx.1 	Sigma10 115.758.xx.1 	Tango 115.760.xx.1 
		Sigma20 115.778.xx.1 	Bolero 115.777.xx.1 	Rumba 115.750.xx.1 	Mambo 115.751.00.1 
	UP200 	Kappa20 115.228.xx.1 	Kappa50 115.260.xx.1 Kappa50 115.258.00.1 		
	Standard	UP172 	Delta21 115.125.xx.1 	Delta50 115.135.xx.1 	Delta11 115.120.xx.1 
UP182 			Delta21 115.125.xx.1 	Delta50 115.135.xx.1 	Delta11 115.120.xx.1 

Sigma20 / Sigma50

Actuator plate Sigma20



Application Purpose

- For dual flush
- For front actuation
- For installation element UP320, UP720

Product Details

Actuation force	< 20 N
Product material	Plastic


Scope Of Delivery

- Mounting frame
- 2 distance bolts
- 2 actuator rods

Ordering Information

Article no.	Colour [Frame / Ring / Button]
115.778.KH.1	bright chr / matt chr / bright chr
115.778.KN.1	matt chrome / bright chr / matt chr
115.778.KM.1	black / bright chrome / black
115.778.KK.1	white / gold-plated / white
115.778.KJ.1	white / bright chrome / white
115.778.KL.1	white / matt chrome / matt chr

Actuator plate Sigma50



Application Purpose

- For dual flush
- For front actuation
- For installation element UP320, UP720

Product Details

Actuation force	< 20 N
Product material	Zinc diecasting
Inlay material	Plastic


Scope Of Delivery

- Mounting frame
- 2 distance bolts
- 2 actuator rods

Ordering Information

Article no.	Colour
115.788.DW.1	jet black RAL 9005
115.788.11.1	white alpine
115.788.EP.1	pergamon

Actuator plate Sigma50



Application Purpose

- For dual flush
- For front actuation
- For installation element UP320, UP720

Product Details

Actuation force	< 20 N
Product material	Zinc diecasting
Inlay material	Glass


Scope Of Delivery

- Mounting frame
- 2 distance bolts
- 2 actuator rods

Ordering Information

Article no.	Colour
115.788.SC.1	white glass satinised "grains"
115.788.SE.1	green glass satinised
115.788.SD.1	smoked glass reflective

Actuator plate Sigma50



Application Purpose

- For dual flush
- For front actuation
- For installation element UP320, UP720
- For custom-made inlay, local source

Product Details

Actuation force	< 20 N
Product material	Zinc diecasting

Scope Of Delivery


- Mounting frame
- 2 distance bolts
- 2 actuator rods
- Excluded: Inlay for actuator plate

Ordering Information

Article no.	Description
115.788.00.1	Actuator plate Sigma50, customised

Samba / Bolero

Actuator plate Samba



Application Purpose

- For dual flush
- For front actuation
- For installation element UP320, UP720

Product Details

Actuation force	< 20 N
Product material	Plastic

Scope Of Delivery


- 2 actuator rods
- 2 distance bolts
- Mounting frame

Ordering Information

Article no.	Colour
115.770.11.1	white alpine
115.770.10.1	bahama beige
115.770.CG.1	manhattan
115.770.DK.1	edelwhite
115.770.DW.1	jet black RAL 9005
115.770.EP.1	pergamon
115.770.FB.1	agais
115.770.FR.1	star white

Article no.	Metallic finish
115.770.21.1	bright chrome-plated
115.770.46.1	matt chrome-plated
115.770.DT.1	special brass (colour)
115.770.GM.1	satinox
115.770.KB.1	bright chrome / bright chr struct

Actuator plate Bolero



Application Purpose

- For dual flush
- For front actuation
- For installation element UP320, UP720

Product Details

Actuation force	< 20 N
Product material	Plastic


Scope Of Delivery

- 2 actuator rods
- 2 distance bolts
- Mounting frame

Ordering Information

Article no.	Colour
115.777.11.1	white alpine
115.777.10.1	bahama beige
115.777.CG.1	manhattan
115.777.DK.1	edelwhite
115.777.DW.1	jet black RAL 9005
115.777.EP.1	pergamon
115.777.FB.1	agais
115.777.FR.1	star white

Article no.	Metallic finish
115.777.21.1	bright chrome-plated
115.777.46.1	matt chrome-plated
115.777.DT.1	special brass (colour)
115.777.GM.1	satinox
115.777.KB.1	bright chrome / bright chr struct

Sigma10 / Rumba**Actuator plate Sigma10****Application Purpose**

- For single flush
- For front actuation
- For installation element UP320, UP720

Product Details


Actuation force	< 20 N
Product material	Plastic

Scope Of Delivery

- Mounting frame
- Actuator rod
- 2 distance bolts

Ordering Information

Article no.	Colour [Frame / Ring / Button]
115.758.KL.1	white / matt chrome / matt chr
115.758.KN.1	matt chrome / bright chr / matt chr
115.758.KM.1	black / bright chrome / black
115.758.KH.1	bright chr / matt chr / bright chr
115.758.KK.1	white / gold-plated / white
115.758.KJ.1	white / bright chrome / white

Actuator plate Rumba**Application Purpose**

- For flush-stop
- For front actuation
- For installation element UP320, UP720

Product Details

Actuation force	< 20 N
Product material	Plastic

Scope Of Delivery

- Stop-and-go lever
- Actuator rod
- 2 distance bolts
- Mounting frame

Ordering Information

Article no.	Colour
115.750.10.1	bahama beige
115.750.11.1	white alpine
115.750.CG.1	manhattan
115.750.DK.1	edelwhite
115.750.DW.1	jet black RAL 9005
115.750.EP.1	pergamon
115.750.FB.1	agais
115.750.FR.1	star white


Article no. Metallic finish

115.750.21.1	bright chrome-plated
115.750.46.1	matt chrome-plated
115.750.DT.1	special brass (colour)
115.750.GM.1	satinox
115.750.KB.1	bright chrome / bright chr struct



Tango / Mambo

Actuator plate Tango



Application Purpose

- For flush-stop
- For front actuation
- For installation element UP320, UP720

Characteristics

- Can be locked with screws

Product Details

Actuation force	< 20 N
Product material	Zinc diecasting

Scope Of Delivery


- Stop-and-go lever
- Actuator rod
- 2 distance bolts
- Mounting frame

Ordering Information

Article no.	Colour
115.760.11.1	white alpine

Article no.	Metallic finish
115.760.21.1	bright chrome-plated
115.760.45.1	gold-plated
115.760.46.1	matt chrome-plated
115.760.DT.1	special brass (colour)
115.760.GM.1	satinox
115.760.HC.1	palladium-plated matt
115.760.KA.1	bright chrome / matt chrome

Actuator plate Mambo



Application Purpose

- For flush-stop
- For front actuation
- For installation element UP320, UP720

Characteristics

- Can be locked with screws

Product Details

Actuation force	< 20 N
Product material	Stainless steel

Scope Of Delivery

- Stop-and-go lever
- Actuator rod
- 2 distance bolts
- Mounting frame

Ordering Information

Article no.	Description
115.751.00.1	Actuator plate Mambo, stainless steel

Kappa20 / Kappa50**Actuator plate Kappa20****Application Purpose**

- For dual flush
- For top/front actuation
- For installation element UP200

Product Details

Actuation force	< 20 N
Product material	Plastic


Scope Of Delivery

- Mounting frame
- 2 actuator rods
- 2 distance bolts
- Fastening material

Ordering Information

Article no.	Colour
115.228.10.1	bahama beige
115.228.11.1	white alpine
115.228.CG.1	manhattan
115.228.DK.1	edelwhite
115.228.DW.1	jet black RAL 9005
115.228.EP.1	pergamon
115.228.FB.1	agais
115.228.FR.1	star white

Article no.	Metallic finish
115.228.21.1	bright chrome-plated
115.228.46.1	matt chrome-plated
115.228.DT.1	special brass (colour)
115.228.GM.1	satinox
115.228.KB.1	bright chrome / bright chr struct

Actuator plate Kappa50**Application Purpose**

- For dual flush
- For top/front actuation
- For installation element UP200

Product Details

Actuation force	< 20 N
Product material	Zinc diecasting


Scope Of Delivery

- Mounting frame
- 2 actuator rods
- 2 distance bolts
- Fastening material

Ordering Information

Article no.	Colour
115.260.11.1	white alpine

Article no.	Metallic finish
115.260.21.1	bright chrome-plated
115.260.46.1	matt chrome-plated
115.260.HC.1	palladium-plated matt

Actuator plate Kappa50**Application Purpose**

- For dual flush
- For top/front actuation
- For installation element UP200

Product Details

Actuation force	< 20 N
Product material	Stainless steel

Scope Of Delivery


- Actuator rods
- Distance bolts
- Fastening material

Ordering Information

Article no.	Description
115.258.00.1	Actuator plate Kappa50, stainless steel

Delta

Actuator plate Delta21



Application Purpose

- For dual flush
- For front actuation
- For installation element UP172, UP182

Product Details

Actuation force	< 20 N
Product material	Plastic


Scope Of Delivery

- Mounting frame
- 2 actuator rods
- Twist lock
- Fastening material

Ordering Information

Article no.	Colour
115.125.11.1	white alpine
115.125.21.1	bright chrome-plated
115.125.46.1	matt chrome-plated

Actuator plate Delta50



Application Purpose

- For dual flush
- For front actuation
- For installation element UP172, UP182

Product Details

Actuation force	< 20 N
Product material	Plastic


Scope Of Delivery

- Mounting frame
- 2 actuator rods
- Twist lock
- Fastening material

Ordering Information

Article no.	Colour
115.135.11.1	white alpine
115.135.21.1	bright chrome-plated
115.135.46.1	matt chrome-plated

Actuator plate Delta11



Application Purpose

- For flush-stop
- For front actuation
- For installation element UP172, UP182

Product Details

Actuation force	< 20 N
Product material	Plastic


Scope Of Delivery

- Mounting frame
- Actuator rod
- Stop-and-go lever
- Fastening material

Ordering Information

Article no.	Colour
115.120.11.1	white alpine
115.120.21.1	bright chrome-plated
115.120.46.1	matt chrome-plated

Actuator plate Delta40



Application Purpose

- For flush-stop
- For front actuation
- For installation element UP172, UP182

Product Details

Actuation force	< 20 N
Product material	Plastic

Scope Of Delivery

- Mounting frame
- Actuator rod
- Stop-and-go lever
- Fastening material

Ordering Information

Article no.	Colour
115.130.11.1	white alpine
115.130.21.1	bright chrome-plated
115.130.46.1	matt chrome-plated

Geberit extension set

Extension set for actuator plates Samba, Rumba, Tango, Mambo, Bolero, Kappa, Sigma



Application Purpose

- For extending actuator plates up to an outer wall of max. 18 cm


Scope Of Delivery

- 2 extensions for pusher rods
- 2 extensions for distance bolts
- Fastening material

Ordering Information

Article no.	Description
240.938.00.1	Extension set for actuator plates for UP200/320/720

Extension set for actuator plates Delta



Application Purpose

- For extending actuator plates up to an outer wall of max. 18 cm
- For installation element UP172, UP182

Scope Of Delivery


- 2 extensions for pusher rods
- 2 extensions for distance bolts
- Fastening material

Ordering Information

Article no.	Description
240.058.00.1	Extension set for actuator plates Delta

Geberit access cover

Cover plate for UP320/720, zinc diecasting



Application Purpose

- For covering the service opening in remote flush actuation of concealed cisterns of Geberit
- For installation element UP320, UP720

Characteristics

- Access cover without flush actuator
- Can be locked with screws

Product Details

Product material	Zinc diecasting
------------------	-----------------

Scope Of Delivery


- Distance bolts
- Fastening material

Ordering Information

Article no.	Colour
115.765.11.1	white alpine

Article no.	Metallic finish
115.765.46.1	matt chrome-plated

Cover plate for UP320/720, stainless steel



Application Purpose

- For covering the service opening in remote flush actuation of concealed cisterns of Geberit
- For installation element UP320, UP720

Characteristics

- Access cover without flush actuator
- Can be locked with screws

Product Details

Product material	Stainless steel
------------------	-----------------


Scope Of Delivery

- Distance bolts
- Fastening material

Ordering Information

Article no.	Description
115.798.00.1	Cover plate for UP320/720, stainless steel

Cover plate for UP200



Application Purpose

- For covering the service opening in remote flush actuation of concealed cisterns of Geberit
- For installation element UP200

Characteristics

- Access cover without flush actuator

Product Details

Product material	Plastic
------------------	---------

Scope Of Delivery


- Distance bolts
- Fastening material

Ordering Information

Article no.	Colour
115.680.11.1	white alpine

Article no.	Metallic finish
115.680.21.1	bright chrome-plated

Cover plate for UP172/182, stainless steel



Application Purpose

- For covering the service opening in remote flush actuation of concealed cisterns of Geberit
- For use with UP172 and UP182 concealed cisterns

Characteristics

- Can be locked with screws

Product Details

Product material	Stainless steel
------------------	-----------------

Scope Of Delivery

- Mounting frame
- Assembly parts

Ordering Information

Article no.	Description
115.103.00.1	Cover plate for UP172/182, stainless steel